This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number				
	6	("6640255" or "5495610" or "20020092004").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16
2	1	(("6640255" or "5495610" or "20020092004").pn.) and (UML or "Unified Modeling")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 09:59
3	8528	((717/140,174-177) or (709/203,220,221) or (713/100) or (719/315)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 09:59
4	73	(((717/140,174-177) or (709/203,220,221) or (713/100) or (719/315)).CCLS.) and (UML or "Unified Modeling")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 09:59
5	0	or (713/100) or (719/315)).CCLS.) and (UML or "Unified Modeling")) and (rule near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or deploym\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16
	2	6035423.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14
-	17	(@ad<=20010815 or @rlad<=20010815) and (model same (installation adj2 (package or rule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:29
-	17	<pre>(model same (installation adj2 (package or rule)))) not Ciccarelli.in.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:34
_	9	((@ad<=20010815 or @rlad<=20010815) and (model same (installation adj2 (package or rule)))) not ("Business Machines".as. and (installation adj2 package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:24
-	63	script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:27
_	48	((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 19:06
	48	<pre>(((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not Ciccarelli.in.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14

	20	(((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 16:40
	,	or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule))))	IBM_TDB	
-	4	not Stefik.in. rule-based near3 (installation and cofiguration or deployment)	USPAT; US-PGPUB; EPO; JPO;	2004/08/14 16:45
_	41	rule-based near3 (installation or (configuration or deployment))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 16:55
	26	(rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/16 10:00
-	24	rule))) ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:54
. 19	3	(((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:48
_	7	deployment)) ("5159587" "5367698" "5428525" "5596695" "5727174" "5983364" "6006035").PN.	USPAT	2004/08/14 16:47
_	32	6006035.URPN.	USPAT	2004/08/14
_	3	6006035.URPN. and (model and rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14
_	649	("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:53
_	108	(("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 18:22
L		1 6	h	•

_	106	((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 18:19
	-	script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))		
-	7		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 17:16
_	2	5786993.URPN.	USPAT	2004/08/14
	0	(((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 17:17
. 140		or process)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and ((markup or XML or HTML) adj2 (installation adj2 (program or script or file)))		
	15	((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and ((specification or requirement or condition\$5 or predicate) same (installation adj2 (program or script or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 17:24
-	16	("4818527" or "4882145" or "5143726" or "5928902" or "6231864" or "5614194" or "4886782" or "5450545" or "6078911").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:17
_	4	(Javabeans and (object near6 instantiat\$3)) same (installation near6 (program or class or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:19
_	0	((Javabeans and (object near6 instantiat\$3)) same (installation near6 (program or class or object))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 18:22
	0	((Java or Java-based or beans or EJB) near6 modeling) same (installation near3 package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:21

		,		
_	0	((Java or Java-based or beans or EJB) near6 modeling) same (installation near3 script)	USPAT; US-PGPUB; EPO; JPO;	2004/08/14 18:21
			DERWENT; IBM TDB	
	22	((Java or Java-based or beans or EJB) or model) same (installation near3 script)	USPĀT; US-PGPUB; EPO; JPO;	2004/08/14 18:22
			DERWENT; IBM_TDB	x-
-	19	<pre>(((Java or Java-based or beans or EJB) or model) same (installation near3 script)) not (Cicciarelli.in. or ("Business Machines".as. and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:22
-	17	<pre>@pd>=20010815)) ((((Java or Java-based or beans or EJB) or model) same (installation near3</pre>	IBM_TDB USPAT; US-PGPUB;	2004/08/14
		script)) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (@ad<=20010815 or @rlad<=20010815) and (model or	EPO; JPO; DERWENT; IBM_TDB	10.34
		<pre>(installation adj2 (package or rule or script or program or facility or module or process)))</pre>	1	
_	4	6237144.URPN.	USPAT	2004/08/14
_	4	6237144.URPN.	USPAT	2004/08/14 18:25
-	10	("5179703" "5265252" "5432937" "5485579" "5517636" "5583983" "5665501" "5715463" "5757925"	USPAT	2004/08/14 18:32
-	0	"5794052").PN. (("5179703" "5265252" "5432937" "5485579" "5517636" "5583983" "5665501" "5715463" "5757925" "5794052").PN.) and ((Java or beans) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:51
	89	model) (installation adj2 package) and ((Java or beans) and model)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:33
_	49	((installation adj2 package) and ((Java or beans) and model)) and (@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business Machines".as. and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:51
_	0	<pre>@pd>=20010815)) (((installation adj2 package) and ((Java or beans) and model)) and (@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and ((translated or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:36
_	20	compiled or packag\$4 or instantiated or implemented) near5 javabeans) (((installation adj2 package) and ((Java	USPAT;	2004/08/14
		or beans) and model)) and (@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and ((translated or compiled or packag\$4 or instantiated or implemented) near5 (classes or java or beans))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	18:39
	13	((((installation adj2 package) and ((Java or beans)) and model)) and (@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and ((translated or compiled or packag\$4 or instantiated or implemented) near5 (classes or java or beans))) not malware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 18:41

			•	
-	3	(((((installation adj2 package) and	USPAT;	2004/08/14
		((Java or beans) and model)) and	US-PGPUB;	18:42
		(@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business	EPO; JPO; DERWENT;	
		Machines".as. and @pd>=20010815))) and	IBM TDB	
		((translated or compiled or packag\$4 or	1511_155	
		instantiated or implemented) near5		
		(classes or java or beans))) not malware)		
		and Forbes.in.		
-	10	(((((installation adj2 package) and	USPAT;	2004/08/14
		((Java or beans) and model)) and (@ad<=20010815 or @rlad<=20010815) not	US-PGPUB;	18:48
		(Cicciarelli.in. or ("Business	EPO; JPO; DERWENT;	
		Machines".as. and @pd>=20010815))) and	IBM TDB	1
		((translated or compiled or packag\$4 or	15	
		instantiated or implemented) near5		
		(classes or java or beans))) not malware)		
		not ((((((installation adj2 package) and		
		((Java or beans) and model)) and	į	
		(@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business		
		Machines".as. and @pd>=20010815))) and		
		((translated or compiled or packag\$4 or		
		instantiated or implemented) near5		
		(classes or java or beans))) not malware)		
	_	and Forbes.in.)		
-	0	((model-based or MOF or (XML near4 metadata)) same (installation near4	USPAT;	2004/08/14
		(software or package))) and (Java or	US-PGPUB; EPO; JPO;	18:50
		beans or EJB)	DERWENT;	
		Dealis of Bob,	IBM TDB	
	117	((model-based or MOF or (XML near4	USPAT;	2004/08/14
		metadata) or UML or "Rational Rose" or	US-PGPUB;	18:51
		Case) same (installation near4 (software	EPO; JPO;	
		or package))) and (Java or beans or EJB)	DERWENT;	ļ
_	76	(((model-based or MOF or (XML near4	IBM_TDB USPAT;	2004/08/14
		metadata) or UML or "Rational Rose" or	US-PGPUB;	18:58
		Case) same (installation near4 (software	EPO; JPO;	
•		or package))) and (Java or beans or EJB))	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
		not (Cicciarelli.in. or ("Business .		
_	59	Machines".as. and @pd>=20010815)) ((((model-based or MOF or (XML near4	USPAT;	2004/08/14
	33	metadata) or UML or "Rational Rose" or	US-PGPUB;	18:52
		Case) same (installation near4 (software	EPO; JPO;	10.02
		or package))) and (Java or beans or EJB))	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
		not (Cicciarelli.in. or ("Business		
		Machines".as. and @pd>=20010815))) and ((Java or beans) and model)		
_	7	(((((model-based or MOF or (XML near4	USPAT;	2004/08/14
	'	metadata) or UML or "Rational Rose" or	US-PGPUB;	18:55
		Case) same (installation near4 (software	EPO; JPO;	
		or package))) and (Java or beans or EJB))	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
		not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and		
		((Java or beans) and model)) and		
]	:	installation.ab.		
-	5	(UML same model\$5) and (Java same	USPAT;	2004/08/14
		package) and ((installation near8 (Java	US-PGPUB;	18:58
		or beans or object-oriented) adj3	EPO; JPO;	
		(program or script or package or file)))	DERWENT;	
_	5	((UML same model\$5).and (Java same	<pre>IBM_TDB USPAT;</pre>	2004/08/14
		package) and ((installation near8 (Java	US-PGPUB;	19:36
		or beans or object-oriented) adj3	EPO; JPO;	
		<pre>(program or script or package or file))))</pre>	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
		not (Cicciarelli.in. or ("Business		
	L	Machines".as. and @pd>=20010815))		

-	15	•	USPAT;	2004/08/14
		(installation same Java same package)	US-PGPUB;	19:42
			EPO; JPO;	
			DERWENT; IBM TDB	
_	15	(beans and (UML and model) and	USPAT;	2004/08/14
	10	(installation same Java same package))	US-PGPUB;	19:06
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
		and (model or (installation adj2 (package	DERWENT;	
		or rule)))	IBM_TDB	:,
_	15		USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:12
		and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package	EPO; JPO; DERWENT;	
		or rule)))) not Accenture.as.	IBM TDB	
_	0		USPĀT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:13
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
		and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and	IBM_TDB	
	1	(installation adj package)	, uan m	
_	15		USPAT;	2004/08/14
		(installation same Java same package)) and (@ad<=20010815 or @rlad<=20010815)	US-PGPUB; EPO; JPO;	19:13
		and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and	IBM TDB	
		(installation or distribution near4		
		package)		
_	14		USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:14
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
		and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and ((installation or distribution) near4	IBM_TDB	
		package)		
_	7		USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:35
	1	and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	*
1		and (model or (installation adj2 (package	DERWENT;	
	1	or rule)))) not Accenture.as.) and	IBM_TDB	
_	13	(installation or distribution).ab. (Javabeans same (deployment or	115074.	2004/08/14
-	13	installation)) and (mobile near3 device)	USPAT; US-PGPUB;	19:41
		Installation, and (modify hears device)	EPO; JPO;	+ 2 • 3 ±
		*	DERWENT;	
			IBM TDB	
-	1	((Javabeans same (deployment or	USPĀT;	2004/08/14
		installation)) and (mobile near3 device))	US-PGPUB;	19:42
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
		not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	DERWENT; IBM TDB	
_	64	_	USPAT;	2004/08/14
	04	(vavabeans same (deproyment of installation)) and wireless	US-PGPUB;	19:42
		1	EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	28		USPAT;	2004/08/14
		installation)) and wireless) and	US-PGPUB;	19:42
		(@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business	EPO; JPO; DERWENT;	
		Machines".as. and @pd>=20010815))	IBM TDB	
_	7		USPAT;	2004/08/14
	·	installation)) and wireless) and	US-PGPUB;	19:43
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	
		(Cicciarelli.in. or ("Business	DERWENT;	
	l.	Machines".as. and @pd>=20010815))) and	IBM_TDB	
	ľ	(UML and model) and (installation same		
		Java same package)		

-	6	((((Javabeans same (deployment or	USPAT;	2004/08/14
		installation)) and wireless) and	US-PGPUB;	19:45
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	}
		(Cicciarelli.in. or ("Business	DERWENT;	1
		Machines".as. and @pd>=20010815))) and	IBM TDB]
		(UML and model) and (installation same		1
		Java same package)) and Tivoli]
			HCDNM.	2004/00/14
-	0	(,	USPAT;	2004/08/14
		same (installation adj2 (script or	US-PGPUB;	19:53
		program or package))	EPO; JPO;	
			DERWENT;	
		*	IBM TDB	1
_	8	Tivoli same (installation adj2 (script or	USPAT;	2004/08/14
		program or package))	US-PGPUB;	19:53
		P9 P9-,	EPO; JPO;	1 22.00
		· ·	DERWENT;	ļ
			•	l l
	10	/***	IBM_TDB	0004400404
_	10	,	USPAT;	2004/08/14
		US-5786993-\$ or US-6237144-\$ or	US-PGPUB	19:56
		US-6381742-\$).did. or (US-20020062259-\$		
		or US-20030028869-\$ or US-20020158898-\$		
		or US-20020116454-\$ or		
		US-20030172135-\$).did.		
L	L	1 1	<u> </u>	<u> </u>

(((@ad<=20010815 or @rlad<=20010815) and USPAT; 2004/08/14 (model same (installation adj2 (package US-PGPUB; 20:06 or rule)))) not ("Business Machines".as. EPO; JPO; and (installation adj2 package))) or DERWENT; IBM TDB ((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or $@rlad \le 20010815$) and (model or (installation adj2 (package or rule)))) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) or (((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad <= 20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) or (((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or 8/(///"Innia" in mor installation.ab.)
and (naidware or parameter or attribute Search History or condition) near8 (mapp\$3 or satisf\$5 C:\APPS\EAST\Workspacesfalfiles55)wspnd (@ad<=20010815 or

(((((@ad<=20010815 or @rlad<=20010815) USPAT: 2004/08/14 and (model same (installation adj2 US-PGPUB; 20:06 (package or rule)))) not ("Business EPO; JPO; Machines".as. and (installation adj2 DERWENT; package))) or ((installation adj2 (module IBM TDB or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) or (((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or $@rlad \le 20010815$) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) or (((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines" as and epd>=20010815))) or [16(02"Innis".in. or installation.ab.) and ((hardware or parameter or attribute C:\APPS\EAST\Workspaoes&Ondionon)wnpar8 (mapp\$3 or satisf\$5

Search History

((((@ad<=20010815 or @rlad<=20010815) USPAT; 2004/08/14 and (model same (installation adj2 US-PGPUB; 20:09 (package or rule)))) not ("Business EPO; JPO; Machines".as. and (installation adj2 DERWENT; package))) or ((installation adj2 (module IBM TDB or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and $(@ad \le 20010815 \text{ or } @rlad \le 20010815)$ and (model or (installation adj2 (package or rule)))) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad <= 20010815) and (model or (installation adj2 (package or rule)))) or (((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad <= 20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) or (((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines" as and @pd>-20010815))) or [((("Innis" in or installation.ab.) Search History and ((hardware or parameter or attribute C:\APPS\EAST\Workspaoescondicion)wapar8 (mapp\$3 or satisf\$5

_	l 6	("20030212987" or "6067548" or	USPAT;	2004/08/14
	ĺ	"20020104071").pn.	US-PGPUB;	20:34
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	(("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans	US-PGPUB;	20:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	. 2	((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:35
		modeling	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:40
		(deployment or installation)	EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	1	(((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:40
		(deployment or installation)) and	EPO; JPO;	
		((install\$5 or deploy\$4) near2 package)	DERWENT;	
			IBM_TDB	